

29 SEP 2008



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

STOUT, UXA, BUYAN & MULLINS LLP
4 VENTURE, SUITE 300
IRVINE, CA 92618

In re Application of :
KOEHLER, Ralf et al. :
Application No.: 10/533,060 : DECISION
PCT No.: PCT/US03/34837 :
Int. Filing Date: 30 October 2003 : ON REQUEST UNDER
Priority Date: 30 October 2002 :
Attorney's Docket No.: UCIVN-020US : 37 CFR 1.497(d)
For: COMPOUNDS, METHODS AND ... :
BLOOD VESSEL WALLS :

This decision is in response to "Renewed Submission Under 37 CFR 1.497(d)," filed in the United States Patent and Trademark Office on 27 July 2007.

BACKGROUND

On 19 June 2007, the Office mailed Decision On Request, refusing applicants' request under 37 CFR 1.497(d).

On 27 July 2007, applicants submitted this renewed submission under 37 CFR 1.497(d).

DISCUSSION

Applicants request to delete Michael D. Cahalan as an inventor.

A request under 37 CFR 1.497(d) requires: (1) a statement from each person being added as an inventor and from each person being deleted as an inventor that any error in inventorship in the international application occurred without deceptive intention on his or her part; (2) the processing fee set forth in §1.17(i); (3) the written consent of the assignee, if an original named inventor has executed an assignment and (4) any new oath or declaration required by paragraph (f).

Items (1) and (2) were previously satisfied. Item (4) is not applicable.

Item (3) has now been satisfied.

CONCLUSION

For the above reasons, applicants' petition under 37 CFR 1.497(d) is **GRANTED**.

This application is being referred to the National Phase Processing Branch of the Office of Patent Application Processing for further action consistent with this decision. The application has a 35 USC 371(c)(1), (c)(2) and (c)(4) date of 12 March 2007.

/Erin P. Thomson/

Erin P. Thomson
Attorney Advisor
PCT Legal Administration

Telephone: 571-272-3292
Facsimile: 571-273-0459